




EAD-CAR1-Louver



EAD-CAR1-SLD



EAD-CAR1-Louver



EAD-CAR1-Louver

Standard Features:

- Access door designed for non-cased Carrier fan coil units
- Three individually hinged access doors set in an outer mounting frame
- Hinges parallel to longest side of outer frame
- 1/2" spaced louvers stamped into middle access door
- Rust resistant pre-coat with durable powder finish
- Holds up to a 1" filter (not included) with filter retention tabs
- Soft White

Options:

- ☐ Solid access panel (EAD-CAR1-SLD)

Finishes:


STANDARD COLORS

- ☐ Soft White

Equipment Model	Louvered Item	Solid Door Item
FMU4Z1800AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4Z2400AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4X1800AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4X2400AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4Z3000AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD
FMU4Z3600AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD
FMU4X3000AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD
FMU4X3600AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD

Item	Filter Size
EAD-CAR1-44x29-Louver	20x20x1
EAD-CAR1-56x29-Louver	20x20x1

EAD-CAR1 Frame Detail



Additional Information:


Submittal Notes

Project / Location:

Engineer:

Architect:

Contractor:







Solid 3 Door

Additional Information:

Submittal Notes

Project / Location:		
Engineer:		
Architect:		
Contractor:		



Standard Features:

- Access door designed for non-cased Day and Night fan coil units
- Three individually hinged access doors set in an outer mounting frame
- Hinges parallel to longest side of outer frame
- 1/2" spaced louvers stamped into middle access door
- Rust resistant pre-coat with durable powder finish
- Holds up to a 1" filter (not included) with filter retention tabs
- Soft White

Options:

- ☐ Solid access panel (EAD-CAR1-SLD)

Finishes:


STANDARD COLORS

- ☐ Soft White

Equipment Model	Louvered Item	Solid Door Item
FMU4Z1800AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4Z2400AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4X1800AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4X2400AL	EAD-CAR1-44x29-Louver	EAD-CAR1-44x29-SLD
FMU4Z3000AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD
FMU4Z3600AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD
FMU4X3000AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD
FMU4X3600AL	EAD-CAR1-56x29-Louver	EAD-CAR1-56x29-SLD

Item	Filter Size
EAD-CAR1-44x29-Louver	20x20x1
EAD-CAR1-56x29-Louver	20x20x1

EAD-CAR1 Frame Detail



Additional Information:

Submittal Notes


Project / Location: _____

Engineer: _____

Architect: _____

Contractor: _____




Submittal Notes



Solid 3 Door

Additional Information:

Project / Location:		Submittal Notes
Engineer:		
Architect:		
Contractor:		



Standard Features:

- Access door designed for First Company Fan Coil units
- Designed to fit in non-cased unit
- 1/2" spaced louvers stamped in removable face
- Face set in an outer mounting frame
- Hinges parallel to longest side
- Hand operated lever for easy equipment access
- Holds up to a 1" filter (not included) with filter retention tabs
- Rust resistant pre-coat with durable powder finish
- Soft White

Options:

- ☐ Solid door (EAD-FC1-SLD)
- ☐ IAQ filter design (EAD-FC1-IAQ-Louver)

Finishes:

STANDARD COLORS

- ☐ Soft White

Item	Filter Size
EAD-FC1-24x40-Louver	20x20x1
EAD-FC1-24x48-Louver	20x20x1
EAD-FC1-24x52-Louver	20x20x1 (2 filters)
EAD-FC1-24x40-IAQ-Louver	20x30x1
EAD-FC1-24x48-IAQ-Louver	20x20x1 (2 filters)
EAD-FC1-24x52-IAQ-Louver	20x24x1 (2 filters)

Equipment Model	Louvered Item	Solid Door Item	IAQ Item
18HX	EAD-FC1-24x40-Louver	EAD-FC1-24x40-SLD	EAD-FC1-24x40-IAQ-Louver
19HX	EAD-FC1-24x40-Louver	EAD-FC1-24x40-SLD	EAD-FC1-24x40-IAQ-Louver
24HX	EAD-FC1-24x40-Louver	EAD-FC1-24x40-SLD	EAD-FC1-24x40-IAQ-Louver
18CDX-HW	EAD-FC1-24x40-Louver	EAD-FC1-24x40-SLD	EAD-FC1-24x40-IAQ-Louver
19CDX-HW	EAD-FC1-24x40-Louver	EAD-FC1-24x40-SLD	EAD-FC1-24x40-IAQ-Louver
20HX	EAD-FC1-24x48-Louver	EAD-FC1-24x48-SLD	EAD-FC1-24x48-IAQ-Louver
25HX	EAD-FC1-24x48-Louver	EAD-FC1-24x48-SLD	EAD-FC1-24x48-IAQ-Louver
30HX	EAD-FC1-24x48-Louver	EAD-FC1-24x48-SLD	EAD-FC1-24x48-IAQ-Louver
20CDX-HW	EAD-FC1-24x48-Louver	EAD-FC1-24x48-SLD	EAD-FC1-24x48-IAQ-Louver
24CDX-HW	EAD-FC1-24x48-Louver	EAD-FC1-24x48-SLD	EAD-FC1-24x48-IAQ-Louver
25CDX-HW	EAD-FC1-24x48-Louver	EAD-FC1-24x48-SLD	EAD-FC1-24x48-IAQ-Louver
26CDX-HW	EAD-FC1-24x52-Louver	EAD-FC1-24x52-SLD	EAD-FC1-24x52-IAQ-Louver
30CDX-HW	EAD-FC1-24x52-Louver	EAD-FC1-24x52-SLD	EAD-FC1-24x52-IAQ-Louver
31CDX-HW	EAD-FC1-24x52-Louver	EAD-FC1-24x52-SLD	EAD-FC1-24x52-IAQ-Louver

Additional Information:

Submittal Notes

Project / Location:


Engineer:

Architect:

Contractor:


24x52

Standard




EAD-FC1-24x52-Louver
 20x20x1 (2 Filters)

IAQ



EAD-FC1-24x52-IAQ-Louver
 20x24x1 (2 Filters)


Solid



EAD-FC1-24x52-SLD


24x48

Standard




EAD-FC1-24x48-Louver
 20x20x1 (1 Filter)

IAQ



EAD-FC1-24x48-IAQ-Louver
 20x20 (2 Filters)

Solid



EAD-FC1-24x48-SLD

Additional Information:

Project / Location:

Engineer:

Architect:

Contractor:

Submittal Notes


EAD-FC-SUB

Shoemaker Manufacturing 618 East 1st Street, Cle Elum, WA

Last Revised: 05/06/22


24x40

Solid




EAD-FC1-24x40-SLD

IAQ




EAD-FC1-24x40-IAQ-Louver


Standard



EAD-FC1-24x40-Louver




30x20x1 (1 Filter)



20x20x1 (1 Filter)

EAD-FC1 Frame Detail



Frame Hinge

Additional Information:

Submittal Notes

Project / Location:	
Engineer:	
Architect:	
Contractor:	

--