### NON-CONTACT VOLTAGE TESTER WITH INFRARED THERMOMETER















101.01

NON



### NON-CONTACT VOLTAGE TESTER WITH INFRARED THERMOMETER

# NCVT-4IR

#### The **NCVT-4IR** provides

non-contact determination of AC voltage in cables, cords, circuit breakers, switches, outlets, and wires; as well as Infrared (IR) thermometer measurements making it the perfect choice for HVAC professionals.

- Detects AC voltage from 12 to 1000 V with visual and audible indicators
- IR thermometer with user selectable °F / °C from -22 to 482°F (-30 to 250°C)
- Convenient laser acts as a laser pointer; also helps target IR temperature measurement
- Auto Power-off conserves and extends battery life
- Screw-thread battery cap with O-ring ensures water and dust resistant ingress protection
- Lightweight, compact tool with pocket clip provides easy storage and quick access



Infrared (IR) Thermometer with 4:1 distance to spot ratio

#### Laser

Use as a laser pointer or to help target IR temperature measurement

#### **IR Button**

press and hold to take temperature reading. Press and hold IR button and NCV button to change to Celsius (°C)

#### Battery Cap

with O-Ring provides tight water and dust resistant seal to protect batteries —

Do not direct laser beam into eyes as this can cause permanent eye damage



# HVAC\R

#### 12 - 1000V AC

Non-Contact Tip

A high intensity, bright red LED illuminates and a warning tone sounds when voltage is detected.

#### **Backlit LCD Screen**

for easy viewing in low light

#### **NCV Button**

turns on and off the Non-Contact Voltage Tester. The tip will illuminate blue with a single beep when on and double beep and stop illuminating when off.

#### Pocket Clip







Cat. No.	UPC# 0-92644+	Batteries	Height	Width	Depth	Weight (oz.
NCVT-4IR	69061-7	2xAAA	5.83" (148 mm)	0.96" (24 mm)	1.16" (29 mm)	2.5 (72 g)

See our complete line of Test & Measure and HVAC products www.kleintools.com



© 2017 Klein Tools, Inc. Lincolnshire, IL 60069-1418 **96504** Rev. 05/17 A

US Patent: D750985