

## QSSB, QSSX


Next Generation Super Stand  
VRF/VRV Equipment Stands

### Application


The newly redesigned Super Stands are now simpler to order, easier to size and compatible with more equipment models than ever.

### Features


- Infinite depth adjustability with new sliding rail design
- Rail slots allow for mounting hole alignment for most all equipment models
- New base and extension models make customizing stands quick and easy
- 900lb capacity for each single module section
- Reduced number of SKUs
- Hurricane Rated




QSSB, QSSX



New Rail Lengths



Sliding Rail System



Bases





Extensions

**Base Stands**

**48" Wide Base Stands**

- QSSB48-12 (12" Tall)
- QSSB48-18 (18" Tall)
- QSSB48-24 (24" Tall)




**62" Wide Base Stands**

- QSSB62-12 (12" Tall)
- QSSB62-18 (18" Tall)
- QSSB62-24 (24" Tall)

**74" Wide Base Stands**



- QSSB74-12 (12" Tall)
- QSSB74-18 (18" Tall)
- QSSB74-24 (24" Tall)



**Extension Kits**

**48" Wide Extension Kit**

- QSSX48-12 (12" Tall)
- QSSX48-18 (18" Tall)
- QSSX48-24 (24" Tall)



**62" Wide Extension Kit**

- QSSX62-12 (12" Tall)
- QSSX62-18 (18" Tall)
- QSSX62-24 (24" Tall)

**74" Wide Extension Kit**

- QSSX74-12 (12" Tall)
- QSSX74-18 (18" Tall)
- QSSX74-24 (24" Tall)

