

Silicone Sealant

SECTION 1. IDENTIFICATION

PRODUCT IDENTIFIER:

Silicone Sealant OTHER MEANS OF IDENTIFICATION: 7-4000, 7-4100, 7-4200, 7-4300, 36001 RECOMMENDED USE OF THE CHEMICAL: Please see label for instruction RESTRICTIONS ON USE: None known MANUFACTURED BY:

 Duluth, GA 3009

 INFORMATION PHONE #:
 1 800.995.2222

 EMERGENCY PHONE #:
 1 800.255.3924

 (Chomical Emotion)
 Chomical Emotion

DiversiTech Corporation 3039 Premiere Parkway Suite 600 Duluth, GA 30097 1 800.995.2222 1 800.255.3924 Chem-Tel (Chemical Emergencies)

SECTION 2. HAZARD IDENTIFICATION

CLASSIFICATION OF THE CHEMICAL:

This chemical is not considered hazardous in accordance with OSHA Hazard Communication Standard 2012.

HAZARD SYMBOL(S):

Not applicable.

SIGNAL WORD: Not applicable.

HAZARD STATEMENT(S)

Not applicable.

RESPONSE Not applicable.

PRECAUTIONARY STATEMENT(S)

Not applicable.

HAZARD(S) NOT OTHERWISE CLASSIFIED:

None known

0% of the chemical consists of ingredient(s) of unknown acute toxicity.

NOTE:

Labeling elements found on this SDS may be different from labeling elements found on the label. Safety Data Sheets are regulated by OSHA (29 CFR §1910.1200) while the actual product and its label may be regulated by a different government agency. Please contact the responsible party in Section 1 if you have any questions.

SECTION 3. INFORMATION ON INGREDIENTS

INGREDIENTS

This mixture contains no ingredients considered hazardous in accordance with OSHA 19 CFR 1910.1200.

TRADE SECRET CLAIM:

When applicable, the specific concentration of each hazardous ingredient is considered a TRADE SECRET. Chemical names and identifiers will be listed in exact composition weight and name when not subject to trade secret exemptions.

SDS# SILICONE SEALANT Date: April 1, 2021 Total Pages: 6 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700 PAGE ²



Silicone Sealant

NOTE:

This product may contain other ingredients that are not required to be disclosed on this safety data sheet or product label in accordance with 19 CFR §1910.1200. Any ingredient not listed on either the SDS or label is not considered hazardous to health and shouldn't pose a risk to the user.

SECTION 4. FIRST AID MEASURES

GENERAL FIRST AID MEASURES:

If medical attention is required due to exposure then be sure to take product label or safety data sheet when seeking medical care.

IF INHALED:

Move person to fresh air and keep at a comfortable position for breathing. Administer artificial respiration if person is not breathing.

IF IN EYES:

Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

INDICATION OF IMMEDIATE MEDICAL ATTENTION:

Not anticipated to require immediate medical attention.

SECTION 5. FIRE-FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA:

Water spray, carbon dioxide, sand, powder extinguisher, and dry chemical.

SPECIFIC HAZARDS:

None known.

SPECIAL PROTECTIVE EQUIPMENT: Not determined.

MOST IMPORTANT SYMPTOMS:

None known.

IF ON SKIN:

Wash with soap and water. Take off contaminated clothing and wash it before reuse.

IF SWALLOWED:

Do NOT induce vomiting unless instructed to do so by a trained medical professional. Rinse mouth with water.

UNSUITABLE EXTINGUISHING MEDIA: None known.

HAZARDOUS COMBUSTION PRODUCTS: Not determined.

PRECAUTIONS FOR FIRE-FIGHTERS: Not determined.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS:

Remove non-emergency personnel from the area in an orderly fashion.

EMERGENCY PROCEDURE(S):

Cover drains to prevent spill from entering waterways. Evacuate non-emergency personnel from the area. Shut off all sources of ignition. PROTECTIVE EQUIPMENT:

Use appropriate chemical-resistant gloves and eye protection.

METHODS FOR CONTAINMENT:

Cover drains and ventilate area to prevent vapor buildup.

SDS# SILICONE SEALANT Date: April 1, 2021 Total Pages: 6 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700



Silicone Sealant

REFERENCES:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

METHODS FOR CLEAN UP:

CONDITIONS FOR SAFE STORAGE:

tightly sealed in its original container.

Wipe or scrape up and contain for salvage or disposal. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents, or detergents. Dispose of saturated absorbent or cleaning materials appropriately since spontaneous heating may occur.

Keep cool in a well-ventilated place away from sunlight.

Ensure local and adequate ventilation. Keep container

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Keep away from all ignition sources. Do not smoke while handling. Provide ventilation during use to control acetic acid within exposure guidelines or use respiratory protection.

STORAGE INCOMPATABILITIES:

Product evolves acetic acid when exposed to water or humid air.

SECTION 8. EXPOSURE CONTROLS

INGREDIENT

This mixture contains no ingredients considered hazardous in accordance with OSHA 19 CFR 1910.1200

GENERAL NOTE:

Practice good industrial hygiene. Wash hands after handling and use.

EYE/FACE PROTECTION:

Eye protection is recommended. Wear goggles or another form of chemically resistant eye protection.

RESPIRATORY PROTECTION:

No anticipated protective equipment is required.

APPROPRIATE ENGINEERING CONTROLS:

Ensure mechanical ventilation.

SKIN PROTECTION:

Wear gloves suitable for chemical protection.

ENVIRONMENTAL PROTECTION:

No anticipated protective equipment is required.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: pH: MELTING POINT: FLASHPOINT: FLAMMABILITY: VAPOR PRESSURE: N/A. VAPOR DENSITY: SOLUBILITY: AUTO-IGNITION: VISCOSITY:

Paste. N/A. Not determined. >212°F (>100°C). N/A. N/A. N/A Not determined. Not determined.

ODOR: ODOR THRESHOLD: N/A. **BOILING POINT:** N/A. **EVAPORATION RATE:** N/A. **UPPER EXPLOSIVE %:** LOWER EXPLOSIVE %: RELATIVE DENSITY: PARTITION COEFFICIENT: Not determined. DECOMPOSITION TEMP: Not determined.

Not determined. Not determined. Not determined. Not determined.

SDS# SILICONE SEALANT Date: April 1, 2021 Total Pages: 6

DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097

Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700



Silicone Sealant

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY:

Not anticipated to be reactive.

HAZARDOUS REACTIONS:

None known.

INCOMPATIBLE MATERIALS:

Water, moisture, or humid air can cause hazardous vapors to form. Avoid contact with strong oxidizing agents, strong alkalis and strong acids. Oxidizing material can cause a reaction.

CHEMICAL STABILITY:

Chemical is anticipated to be stable in normal storage conditions.

CONDITIONS TO AVOID:

Heat, sources of ignition, direct sunlight, etc.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Silicon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY ESTIMATES:

Oral – Contains no ingredient(s) considered toxic. Dermal – Contains no ingredient(s) considered toxic. Inhalation – Contains no ingredient(s) considered toxic.

SENSITIZATION:

Respiratory: Contains no ingredient(s) applicable to this category.

Skin: Contains no ingredient(s) applicable to this category.

REPRODUCTIVE TOXICITY:

Contains no ingredient(s) applicable to this category.

ASPIRATION HAZARD:

Contains no ingredient(s) applicable to this category.

SYMPTOMS RELATED TO CHARACTERISTICS: Not determined.

NATIONAL TOXICOLOGY PROGRAM LISTING: No ingredients listed.

SKIN CORROSION/IRRITATION:

Contains no ingredient(s) applicable to this category.

EYE DAMAGE/IRRITATION:

Contains no ingredient(s) applicable to this category.

GERM CELL MUTAGENICITY: Contains no ingredient(s) applicable to this category.

CARCINOGENICITY: Contains no ingredient(s) applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:

Contains no ingredient(s) applicable to this category.

SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:

Contains no ingredient(s) applicable to this category.

DELAYED AND IMMEDIATE EFFECT FROM SHORT-AND LONG-TERM EXPOSURE: Not determined.

INTERNATIONAL AGENCY FOR REACH ON CANCER LISTING:

No ingredients listed.

SDS# SILICONE SEALANT Date: April 1, 2021 Total Pages: 6 DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700



Silicone Sealant

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICITY:

Algae – Contains no ingredient(s) considered toxic. Fish – Contains no ingredient(s) considered toxic. Crustacea - Contains no ingredient(s) considered toxic.

PERSISTENCE AND DEGRADEABILITY: Not determined.

BIOACCUMULATIVE POTENTIAL: Not determined.

MOBILITY IN SOIL: Not determined.

OTHER ADVERSE EFFECTS: None known.

SECTION 13. DISPOSAL CONSIDERATIONS

DISPOSAL OF EMPTY CONTAINERS:

Please recycle container with a licensed recycling company.

DISPOSAL OF FULL OR PARTIALLY FULL CONTAINERS:

Dispose in accordance with all local regulations. Contact a licensed waste management company for guestions on disposal procedures.

SECTION 14. TRANSPORT INFORMATION

HAZARD PLACARD: Not regulated. UN NUMBER: Not regulated. LTD QTY: Not regulated.

UN PROPER SHIPPING NAME: Not regulated. HAZARD CLASS: PACKAGING GROUP: ENVIRONMENTAL HAZARD: TRANSPORT IN BULK: SPECIAL PRECAUTIONS:

Not regulated. Not regulated. No Not determined. Do not ship with excessive weight on top. Keep in original containers.

SECTION 15. REGULATORY INFORMATION

SARA:

- 311 No applicable ingredient(s).
- 312 No applicable ingredient(s).
- 313 No applicable ingredient(s).

TSCA INVENTORY LIST:

Each ingredient is on the TSCA inventory list as ACTIVE.

HMIS®III: (higher numbers indicate higher risk)

Health, 0 Flammability, 0 Physical Hazard, 0

RIGHT-TO-KNOW:

Dimethyl siloxane, hydroxy-terminated; Ethyltriacetoxysilane; Methyltriacetoxysilane; Silica, amorphous; Hydrotreated middle petroleum distillates

CALIFORNIA:

Prop 65: Clear - No P65 ingrecients Black - Carbon Black (cancer) Other Colors – Titanium Dioxide (cancer) ARB Designation: Sealant or Caulking Compound VOC Limit: 3%.

NFPA®: (higher numbers indicate higher risk)

Health, 0 Flammability, 0 Instability, 0

SDS# SILICONE SEALANT Date: April 1, 2021 Total Pages: 6

DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097

Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700

PAGE

5



Silicone Sealant

SECTION 16. OTHER INFORMATION

REVISION: 3 REVISION DATE: April 1, 2021

REVISION PURPOSE:

Correction of document due to new information about ingredients.

GENERAL DISCLAIMER:

All information appearing herein is based upon data obtained from manufacturers and/or recognized technical sources. While the information is believed to be accurate, we make no representations as to its accuracy or sufficiency. Conditions of use are beyond our control, therefore users are responsible for verifying the data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. Users also assume all risks in regards to the publications of use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or process.

SDS# SILICONE SEALANT Date: April 1, 2021 Total Pages: 6

DiversiTech Corporation 3039 Premiere Parkway, Suite 600 Duluth, GA 30097

Chemical Emergency: P 800-255-3924 P 800.995.2222 F 678.542.3700