SAFETY DATA SHEET

Section 1. IDENTIFICATION

Product Identifier

Product Name GASOILA® SOFT SET.

Other means of Identification

Product Code SS01, SS02, SS04, SS08, SS16, SS32, SB32, SS28...

Recommended Use Pipe Thread Sealant.

Recommended Restrictions None Known.

Manufacturer

Telephone

Company Name Fedpro an FPC International company

Cleveland OH 44128 1-800-846-7325

Emergency Telephone Number: Call Chemtrec at 1-800-424-9300

Section 2. HAZARDS IDENTIFICATION

PHYSICAL STATE: Liquid

GHS Hazard and Precautionary Statements:

Flammable liquid	Category 3
Acute toxicity (oral)	Category 4
Serious eye irritation	Category 2A
Skin sensitization	Category 1





Signal Word:

Hazard Statements:

H226 - Flammable liquid and vapor.

H302 – Harmful if swallowed.

H319 – Causes serious eye irritation.

H317 – May cause an allergic skin reaction

Precautionary Statements:

Prevention: P210 – Keep away heat, sparks, open flames, and hot surfaces. No smoking.

P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 – Contaminated clothing should not be allowed out of the workplace.

<u>Response:</u> P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301 + P331 + P310 - IF SWALLOWED: Do NOT induce vomiting. Immediately call

POISON CENTER or doctor/physician.

P337 + P313–If eye irritation persists: Get medical advice/attention.

P332 + P313 – If skin irritation or rash occurs: Get medical advice/attention.

<u>Disposal:</u> P501- Dispose of contents/container to an approved waste disposal plant.

Other Hazards: Toxic to aquatic life with long lasting effects.

<u>Unknown Acute Toxicity:</u> 2% of the mixture consists of ingredient(s) of unknown toxicity.

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Isopropyl alcohol	67-63-0	<8.0
2 butoxyethanol	111-76-2	< 5.0

Section 4. FIRST AID MEASURES

First Aid Measures:

Eye Contact Rinse thoroughly with plenty of water, for 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Get medical advice/attention.

Skin Contact If skin irritation occurs, rinse affected area with water. If skin irritation or rash occurs: Get

medical advice/attention.

Inhalation Remove to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or

artificial respiration as needed.

Ingestion Do NOT induce vomiting Get medical attention immediately. Rinse mouth with water. Never

give anything by mouth to an unconscious individual.

Most Important Symptoms and effects:

Symptoms Direct contact with eyes may cause temporary irritation.

Do NOT ingest.

Section 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use foam, dry chemical, carbon dioxide or water fog.

<u>Unsuitable Extinguishing Media:</u> Not determined.

Specific Hazards Arising from the Chemical:

Carbon oxides expected to be the primary hazardous combustion product.

Protective Equipment and Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus and other protective clothing.

(approved or equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

_

Personal Precautions, Protective Equipment and Emergency Procedures:

Personal Precautions: Use personal protective equipment as required. Keep unnecessary personnel away.

Methods and Material for Containment and Cleaning Up:

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Keep in suitable, closed containers for disposal.

Section 7. HANDLING AND STORAGE

Precautions for Safe Handling:

Advice on Safe Handling: Avoid breathing vapors or mists. Contaminated work-clothing should not be allowed out of

the workplace

Conditions for Safe Storage, including

Any Incompatibilities:

GASOILA®SOFT SET

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

Do not store near heat, sparks, or open flames. KEEP OUT OF REACH OF CHILDREN.

Incompatible Materials: None known based on information supplied.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Chemical Name	ACGIH TWA	ACGIH STEL	OSHA TWA
Isopropyl alcohol	200 ppm	400 ppm	400 ppm
(CAS 67-63-0)			
2 butoxyethanol (CAS 111-76-2)	20 ppm	200 mg/g	X

Appropriate Engineering Controls:

Engineering Controls: Apply technical measures to comply with the occupational exposure limits.

Individual Protection Measures, such as

Personal Protective Equipment:

Eye/Face Protection: Avoid contact with eyes.

Skin and Body Protection: No protective equipment is needed under normal use conditions.

Respiratory Protection: Ensure adequate ventilation, especially in confined areas. If confined in poorly ventilated areas

use NIOSH/MSHA

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash exposed areas

thoroughly before eating, drinking, smoking or leaving work area. Launder contaminated

clothing before reusing.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

<u>Information on Basic Physical and Chemical Properties</u>

Physical State: Liquid. Odor: Mild alcoholic.

GASOILA®SOFT SET

Revised:8th June, 2021 Page 4 of 9 Appearance: Viscous liquid. Odor Threshold: Not available.

Color: Blue green.

 $\begin{array}{cc} \underline{Property} & \underline{Values} \\ pH & N/A \end{array}$

Melting Point/Freezing Point

Boiling Point/Boiling Range

Not determined.

Not determined.

Flash Point 98F (37C) Closed Cup.

Evaporation Rate Not determined.
Flammability (Solid, Gas) n/a-liquid
Upper Flammability Limit Not determined.
Lower Flammability Limit Not determined.
Vapor Pressure Not determined.
Vapor Density Not determined.

Specific Gravity 1.44
Water Solubility None.

Solubility in other Solvents Not determined.

Partition Coefficient

(n-octanol/water)Not determined.Auto-ignition TemperatureNot determined.Decomposition TemperatureNot determined.Kinematic ViscosityNot determined.Explosive PropertiesNot determined.Oxidizing PropertiesNot determinedV.O.C.205g/L

Section 10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions.

<u>Chemical Stability:</u> Stable under recommended storage conditions.

<u>Possibility of Hazardous Reactions:</u> None under normal processing.

<u>Conditions to Avoid:</u> Keep out of reach of children.

<u>Incompatible Materials:</u> None known.

<u>Hazardous Decomposition Products:</u> Oxides of carbon.

Section 11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure:

Eye Contact: Causes serious eye irritation.

Skin Contact: May cause an allergic skin reaction.

Inhalation: Avoid breathing vapors or mists.

Ingestion: Do not taste or swallow.

Component Information:

Chemical Name Oral LD50		Dermal LD50	Inhalation LC50	
Isopropyl alcohol	4,396 mg/kg (Rat)	12,870 mg/kg	19,600 ppm	
(67-63-0)	3,600 mg/kg (Mouse)	(Rabbit)	(Rat)	
2 butoxyethanol	1,300mg/g (Rat)	>2,000 mg/g (Rat)	>4.9 mg/L (Rat 3 h)	
(111-76-2)	1,400 mg/g (Guinea Pig)	>2,000 mg/g (Guinea Pig)	>3.4 mg/L (Guinea Pig 1h)	

Information on physical, chemical and toxicological effects:

Symptoms: Please section 4 of this SDS for symptoms.

Delayed and Immediate Effects as Well as Chronic Effects From Short and Long Term Exposure:

Sensitization: May cause an allergic skin reaction.

Carcinogenicity: Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol (67-63-0)	NO	NO	NO	NO
2 butoxyethanol (111-76-2)	NO	NO	NO	NO

Legend

IARC (International Agency for Research on Cancer).

Group3 IARC components are "not classifiable as human carcinogens".

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical Measures of Toxicity:

Not Determined.

Section 12. **ECOLOGICAL INFORMATION Ecotoxicity:**

Toxic to aquatic life with lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Isopropyl alcohol	EC50/72 hours	LC50/96 hours	EC50/3 hours Activated	N/A
(67-63-0)	Scenedesmus	Pimephales promelas:	sludge >1,000 mg/L	
	subspicatus >1,000	9,640 mg/L		
	mg/L			
2 butoxyethanol	EC50 Algae	LC50/96 hours		
(111-76-2)	(Pseudokircheriella	Oncorhynchus mykiss,		
	subcapitata, 72h) 1,840	1,474 mg/L		
	mg/L			

Persistence/Degradability: Not determined.

Bioaccumulation: Not determined.

Mobility: Not determined.

Other Adverse Effects: Not determined.

Section 13. DISPOSAL CONSIDERATIONS

Waste Treatment Method:

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging: Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Section 14. TRANSPORT INFORM

UN 1993 **UN-NUMBER**

PROPER SHIPPING NAME: FLAMMABLE LIQUIDS, n.o.s. (isopropanol)

HAZARD CLASS CLASS 3 – Flammable and combustible liquid

PACKING GROUP Ш

ID8000 Consumer Commodity, Hazard Class 9. IATA:

Section 15. REGULATORY INFORMATION

International Inventories: Not determined.

U.S. Federal Regulations: Not determined.

SARA Title 313: Not determined.

U.S. State Regulations:

U.S Right-to-Know Regulations: Not determined.

Section 16. OTHER INFORMATION

NFPA: Health Hazards Flammability Instability Special Hazards Not determined Instability 0 HMIS Health Hazards Flammability Special Hazards

Not determined

Issue Date: 1St March 2014

Revision Date: 8th June, 2021

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet