



SUBMITTAL DATA SHEET

Mini Aqua Univolt

Mini-Split Condensate Pump Kit 100–250v
83809 (ASP-MA-UNI)

Project Information:

Job Name:

Location:

Engineer:

Submitted to:

For: ☐ Reference ☐ Approval ☐ Construction

Submitted by:

Reference:

Submittal Information:

Approval:

Date:

Construction:

Unit #:

Drawing #:

(Sec. I) Product Specifications:

Pump Length	6.5"
Pump Width	1.125"
Pump Height	1.125"
Capacity	2.9-3.2 GPH @ 0' Head / 1.2-1.6 GPH @ 33' Head

Max BTUs	49,500
Max Head in Feet	33
Max Temperature	104°F
Max Suction Lift	5'
Sound Level	21dB(A)
Dry Contact Rating	3A NC
Voltage	100–250v
Amperes	.2 MAX
Watts	16
Remote Reservoir	Y
Plenum Rated	N
Cable Length	6'

Sound level and pump performance varies with voltage frequency.

Pump Selector & Wiring Diagrams Available at

<http://www.rectorseal.com/aspenpump.html>



A CSW Industrials Company

(Sec. II) Ordering Information:

Product Code	83809
Model	ASPMUNI
Carton Qty	1
Carton Weight	1.5


(Sec. III) Carton Contents:

Pump Assembly	Inline Fuse
Inline Reservoir	Cable Ties (6)
8"x5/8" i.d. Inlet Tube	Self Adhesive Velcro
5"x1/4" i.d. Vinyl Discharge Tube	Strips (2)
Installation Manual	Anti-siphon (1)
6"x1/4" i.d. Vinyl Breather Tube	90° Elbow
Drain Hose Adaptor	

(Fig. I) Product Image:



(Fig. II) Typical Pump Locations:




(RectorSeal's products are subject to continuous improvements; RectorSeal reserves the right to modify product design, specifications & information in this data sheet without notice and without incurring any obligations)

ASPEN® is a registered trademark of Aspen Oldco Limited Company UK


Mini Aqua Univolt

Mini-Split Condensate Pump Kit 100-250v
83809 (ASP-MA-UNI)



Aspen Pump BTU Calculator

Mini Aqua 115v 60Hz		
Head	GPH	BTU
0	3.2	54600
5	2.9	49500
10	2.6	44350
15	2.4	42000
20	2.2	37500
25	1.9	33250
30	1.7	29250
33	1.6	27500



Mini Aqua 230v 60Hz		
Head	GPH	BTU
0	2.9	49500
5	2.4	42000
10	2.2	37500
15	2	34000
20	1.7	29250
25	1.5	25800
30	1.3	22400
33	1.2	20600

